

Publikationen

Patient-Reported Outcomes of Surgically Treated Insertional Achilles Tendinopathy.

Hörterer H, Oppelt S, Böcker W, Gottschalk O, Harrasser N, Walther M, Polzer H, Baumbach SF. Foot Ankle Int. 2021 Jun 22;10711007211023060. doi: 10.1177/10711007211023060. Online ahead of print. PMID: 34154453

Do pre-operative radiologic assessment predict postoperative outcomes in patients with insertional Achilles tendinopathy?: a retrospective database study.

Baumbach SF, Hörterer H, Oppelt S, Szeimies U, Polzer H, Walther M. Arch Orthop Trauma Surg. 2021 Apr 23. doi: 10.1007/s00402-021-03897-x. Online ahead of print. PMID: 33891177

Radiological tarsal bone morphology in adolescent age of congenital clubfeet treated with the Ponseti method.

Hamel J, Hörterer H, Harrasser N. BMC Musculoskelet Disord. 2021 Apr 6;22(1):332. doi: 10.1186/s12891-021-04193-w.

One-year Follow-Up Results with Hydrogel Implant in Therapy of Hallux Rigidus: Case Series with 44 Patients.

Zanzinger C, Harrasser N, Gottschalk O, Dolp P, Hinterwimmer F, Hörterer H, Walther M. Z Orthop Unfall. 2021 Mar 1. doi: 10.1055/a-1365-9655. Online ahead of print.

[60/f-spontaneous thoracolumbar back pain : Preparation for the medical specialist examination: part 69].

Harrasser N, Sauer D, Hörterer H, Bronger H. Orthopade. 2021 Mar 3. doi: 10.1007/s00132-021-04086-9. Online ahead of print.

Is it possible to define reference values for radiographic parameters evaluating juvenile flatfoot deformity? A case-control study.

Hamel J, Hörterer H, Harrasser N. BMC Musculoskelet Disord. 2020 Dec 11;21(1):838. doi: 10.1186/s12891-020-03854-6.

[65/f-increasing ankle discomfort with history of ankle sprains : Preparation for the medical specialist examination: part 53].

Harrasser N, **Hörterer H**, Walther M. Orthopade. 2020 Dec 8. doi: 10.1007/s00132-020-04049-6. Online ahead of print.

Influence of the Medial Malleolus Osteotomy on the Clinical Outcome of M-BMS + I/III Collagen Scaffold in Medial Talar Osteochondral Lesion (German Cartilage Register/Knorpelregister DGOU).

Gottschalk O, Baumbach SF, Altenberger S, Körner D, Aurich M, Plaass C, Ettinger S, Guenther D, Becher C, **Hörterer H**, Walther M. Cartilage. 2020 Oct 8;1947603520961169. doi: 10.1177/1947603520961169.

[Minimally invasive components of the treatment of tibialis posterior insufficiency in adults : Tendoscopy of the Achilles tendon, minimally invasive calcaneus displacement osteotomy and the sinus tarsi spacer].

Walther M, **Hörterer H**, Harrasser N, Röser A, Gottschalk O. Orthopade. 2020 Nov;49(11):962-967. doi: 10.1007/s00132-020-03990-w.

Complications Associated With Midline Incision for Insertional Achilles Tendinopathy.

Hörterer H, Baumbach SF, Oppelt S, Böcker W, Harrasser N, Walther M, Polzer H. Foot Ankle Int. 2020 Aug 20;1071100720943836. doi: 10.1177/1071100720943836.

[The talometatarsal-index ("TMT-Index") : A valuable X-ray parameter for differentiating between normal feet and planovalgus deformity in children and adolescents].

Hamel J, **Hörterer H**, Harrasser N. Orthopade. 2020 Aug 6. doi: 10.1007/s00132-020-03954-0.

A cone beam CT based 3D-assessment of bony forefoot geometry after modified Lapidus arthrodesis.

Scheele CB, Christel ST, Fröhlich I, Mehlhorn A, Walther M, **Hörterer H**, Harrasser N, Kinast C. Foot Ankle Surg. 2019 Dec 5;S1268-7731(19)30204-8. doi: 10.1016/j.fas.2019.11.006. Online ahead of print. PMID: 31843521

Ansatznahe Erkrankungen der Achillessehne - Ein Überblick über die operativen Therapieoptionen.

Hörterer, H., Baumbach, S. F., Braunstein, M., Szeimies, U., Böcker, W., Walther, M., & Polzer, H. (2019). *Fuß & Sprunggelenk*.
<http://doi.org/10.1016/j.fuspru.2019.09.004>

A high-profile thread with grit-blasted and acid-etched surface reduces loosening of medial column fusion bolt in instable Charcot foot.

Mehlhorn AT, Ugland KI, Hörterer H, Gottschalk O, Südkamp N, Walther M.
Foot Ankle Surg. 2019 Aug 22. pii: S1268-7731(19)30136-5. doi:
10.1016/j.fas.2019.08.004. [Epub ahead of print]

**Hindfoot-centred X-ray technique for the evaluation of cavovarus deformity :
A proposal for the optimization of radiologic delineation**

Hamel J, Hörterer H, Gottschalk O, Harrasser N, Walther M.
Orthopade. 2019 Sep 5. doi: 10.1007/s00132-019-03800-y. [Epub ahead of print]
German.

**Clinical outcome and concomitant injuries in operatively treated fractures of
the lateral process of the talus**

Hörterer H, Baumbach SF, Lemperle S, Altenberger S, Gottschalk O, Mehlhorn
AT, Röser A, Walther M
BMC Musculoskelet Disord. 2019 May 15;20(1):219. doi: 10.1186/s12891-019-
2603-3.

Fractures of the lateral process of the talus-snowboarder's ankle.

Hörterer H, Baumbach SF, Mehlhorn AT, Altenberger S, Röser A, Polzer H,
Walther M.
Unfallchirurg. 2018 Sep;121(9):715-722. doi: 10.1007/s00113-018-0519-2.

**[Treatment of Bone Marrow Edema of the Foot and Ankle With the
Prostacyclin Analog Iloprost.](#)**

Hörterer H, Baumbach SF, Gregersen J, Kriegelstein S, Gottschalk O, Szeimies
U, Walther M.
Foot Ankle Int. 2018 Jun 1:1071100718778557. doi: 10.1177/1071100718778557.

Autologe matrixinduzierte Chondrogenese am Sprunggelenk

Walther, M., Röser, A., Hörterer, H. et al.
Arthroskopie (2018) 31: 111. <https://doi.org/10.1007/s00142-017-0176-4>

Bleibende Instabilität des Sprunggelenks verhindern!

Dr. med. Hubert Hörterer, Dr. med. Andreas Toepfer, Dr. med. Norbert Harrasser,
Dr. med. Anke Röser, Prof. Dr. med. Markus Walther
MMW-Fortschritte der Medizin (2017) 159: 43.
<https://doi.org/10.1007/s15006-017-0064-x>

Functional Medium-Term Results After Autologous Matrix-Induced Chondrogenesis for Osteochondral Lesions of the Talus: A 5-Year Prospective Cohort Study.

Gottschalk O, Altenberger S, Baumbach S, Kriegelstein S, Dreyer F, Mehlhorn A, **Hörterer H**, Töpfer A, Röser A, Walther M.
J Foot Ankle Surg. 2017 Sep - Oct;56(5):930-936. doi: 10.1053/j.jfas.2017.05.002.
Epub 2017 Jun 21.

Dwyer osteotomy : Lateral sliding osteotomy of calcaneus.

Barg A, **Hörterer H**, Jacxsens M, Wiewiorski M, Paul J, Valderrabano V.
Oper Orthop Traumatol. 2015 Aug;27(4):283-97. doi: 10.1007/s00064-015-0409-5.
Epub 2015 Jul 22. German.

Risk factors for wound complications in patients after elective orthopedic foot and ankle surgery.

Wiewiorski M, Barg A, **Hoerterer H**, Voellmy T, Henninger HB, Valderrabano V.
Foot Ankle Int. 2015 May;36(5):479-87. doi: 10.1177/1071100714565792. Epub
2014 Dec 30.

Sports Activity in Patients with Total Ankle Replacement.

Hörterer, H., Miltner, O., Müller-Rath, R., Phisitkul, P., & BARG, A. (2015). *Sports Orthopaedics and Traumatology Sport-Orthopädie - Sport-Traumatologie*, 31(1), 34–40. <http://doi.org/10.1016/j.orthtr.2014.12.011>

Leg muscle function during recreational alpine skiing in two patients following unilateral total knee arthroplasty

Nüesch, C., Hügler, T., **Hörterer, H.**, Majewski, M., Valderrabano, V., & Mündermann, A. (2013). *Sports Orthopaedics and Traumatology Sport-Orthopädie - Sport-Traumatologie*, 29(4), 306–313. <http://doi.org/10.1016/j.orthtr.2013.09.005>

Elevated Epstein-Barr virus loads and lower antibody titers in competitive athletes.

Hoffmann D, Wolfarth B, **Hörterer HG**, Halle M, Reichhuber C, Nadas K, Tora C, Erfle V, Protzer U, Schätzl HM.
J Med Virol. 2010 Mar;82(3):446-51. doi: 10.1002/jmv.21704

Buchkapitel

Indication for Surgical Treatment of Injuries of the Foot

Walther M, Hilgers M, **Hörterer H**

In Book: Injury and Health Risk Management in Sports pp 229-234; April 2020, doi:
10.1007/978-3-662-60752-7_35

Foot Injuries

Walther M, **Hörterer H**; Hilgers M

In Book: Injury and Health Risk Management in Sports pp 229-234; April 2020, doi:
10.1007/978-3-662-60752-7_26
